



# **CONTENTS**

3
4-5
6-8
9-11
12
13
14
15-17
18
19-20
21
22





### **ACCESSORIES**

DOLLED WIE					a. a.
ROLLER KIT		Code			Ctn Qty
	Roller Kit Pro Series Trim-Tex The Trim-Tex roller kit is the light weight and durable solution for installing new Trim-Tex Mud Set Beads. The first roller assists in the installation of 90° Mud Set Corner Bead while the second is used to install the 135° Mud Set Corner Bead.	72-385			1
HOPPER		Code			Ctn Qty
	Hopper Pro Series Trim-Tex The Pro Series Hopper is made from durable polypropylene resin and holds approximately 11 litres of compound. It coats both mud legs of Trim-Tex <i>Mud Set</i> <sup>TM</sup> Beads making them ready to install saving both time and joint compound.	72-390			1
HOPPER STAN	D	Code			Ctn Qty
	Hopper Stand Pro Series 4 in 1 Trim-Tex Designed specifically for the Pro Series Hopper, the Hopper Stand is stable, sturdy and allows you to coat beads without bending.	72-391			1
ADHESIVE CAU	ULK	Code		Volume	Ctn Qty
ADHESIVE CAU	Adhesive Caulk Trim-Tex Trim-Tex Caulk is a high quality bead installation adhesive and painters caulk. 710 Caulk is perfect for ensuring a superior bond on Trim-Tex Beads with solid returns like Super and Giant L Beads.	Code 72-710		Volume 300ml	Ctn Qty
TRITILITY AND THE PARTY OF THE	Adhesive Caulk Trim-Tex Trim-Tex Caulk is a high quality bead installation adhesive and painters caulk. 710 Caulk is perfect for ensuring a superior bond on Trim-Tex Beads with solid returns like Super and Giant L Beads.	72-710		300ml	24
	Adhesive Caulk Trim-Tex Trim-Tex Caulk is a high quality bead installation adhesive and painters caulk. 710 Caulk is perfect for ensuring a superior bond on Trim-Tex Beads with solid returns like Super and Giant L Beads.	<b>72-710</b> Code		300ml	24 Ctn Qty
TRITILITY AND THE PARTY OF THE	Adhesive Caulk Trim-Tex Trim-Tex Caulk is a high quality bead installation adhesive and painters caulk. 710 Caulk is perfect for ensuring a superior bond on Trim-Tex Beads with solid returns like Super and Giant L Beads.	72-710		300ml	24
TRITILITY AND THE PARTY OF THE	Adhesive Caulk Trim-Tex  Trim-Tex Caulk is a high quality bead installation adhesive and painters caulk. 710 Caulk is perfect for ensuring a superior bond on Trim-Tex Beads with solid returns like Super and Giant L Beads.   **Backerboard*** Trim-Tex **Backerboard*** Trim-Tex **Backerboard*** is a high strength, plywood backing product that allows you to attach cabinets, shelves, grab rails or just about anything else you want to hang on or attach to a wall. Installs inside the light gauge steel wall framing wall cavity, not over the studs, resulting in a perfectly flat wall.	72-710  Code  72-831		300ml  Length  450mm	Ctn Oty



### **ACCESSORIES**

CITRUS CLEA	NER	Code		Volume	Ctn Qty
TIMPTEX  TIM	Cleaner Citrus Trim-Tex Citrus Cleaner is designed to remove Trim-Tex Spray Adhesive from Trim-Tex Beads and other building materials.	72-848		425g	6

S	ANDING BLO	CK ANGLED	Code	Size	Ctn Qty	ı
		Sanding Block Angled 1pc Trim-Tex Sanding Block Angled 100pcs Trim-Tex Trim-Tex Sanding Blocks have been designed with angled sides for sanding corners without scuffing the opposing wall. The Sanding Block features 2 sides with a fine grit and 2 with a medium grit.	72-885 72-886	125x70x25mm 125x70x25mm	24	

SANDING SPO	NGE	Code	Size	Ctn Qty
	Sanding Sponge Trim-Tex The sanding sponge is a fine grit, flexible, sanding pad. It's flexibility makes it perfect for use when sanding Bullnose and Chamfer Beads.	72-881	140x115x5mm	50









CORNER BEAD	S 90° EXTERNAL	Code	Nib Size	Mud Legs	Length	Ctn Qty
	Corner Bead 90° Trim-Tex Corner Bead 90° Trim-Tex Trim-Tex Corner Beads create a dent resistant, square finished 90° corner.	72-4008 72-4010	2.5mm 2.5mm	32mm 32mm	2.4m 3.0m	50 50
ARCH PLUS 90	)°	Code	Nib Size	Mud Legs	Length	Ctn Qty
1	Arch Plus 90° External Combo Bead Trim-Tex Arch Plus is a combination of a 90° External Bead and a 90° External Archway Bead. Remove the Tear Away strip for a 90° Archway bead that flexes from a 250mm inside radius to a 450mm outside radius.	72-4050	2.5mm	34mm	3.0m	40
ARCHWAY BEA	NDS 90°	Code	Nib Size	Mud Legs	Length	Ctn Qty
	Archway Corner Bead 90° Trim-Tex Archway Corner Bead 90° Trim-Tex External Archway Corner Beads create free flowing, curved forms such as archways. Trim-Tex Archway flexes from a 250mm inside radius to a 450mm outside radius.	72-4108 72-4110	2.5mm 2.5mm	32mm 32mm	2.4m 3.0m	50 50
ARCHWAY BEA	AD 90° INSIDE	Code	Nib Size	Mud Legs	Length	Ctn Qty
ARCHWAY BEA	Archway Corner Bead 90° Trim-Tex Archway Corner Beads create free flowing forms. Trim-Tex Archway flexes from a 900mm inside radius to a 900mm outside radius.	72-4150	Nib Size  2mm	Mud Legs 25mm	3.0m	Ctn Qty
And the state of t	Archway Corner Bead 90° Trim-Tex Archway Corner Beads create free flowing forms. Trim-Tex Archway			_		
And the state of t	Archway Corner Bead 90° Trim-Tex Archway Corner Beads create free flowing forms. Trim-Tex Archway flexes from a 900mm inside radius to a 900mm outside radius.	72-4150	2mm	25mm	3.0m	40
CORNER BEAD	Archway Corner Bead 90° Trim-Tex Archway Corner Beads create free flowing forms. Trim-Tex Archway flexes from a 900mm inside radius to a 900mm outside radius.  S 135° EXTERNAL  Corner Bead Splayed 135° Trim-Tex Corner Bead Splayed 135° Trim-Tex Splayed External Corner Bead is used to create a brighter, more open feel. The bead flexes to fit unusual outside corner angles from 120° -	72-4150  Code 72-4208	2mm  Nib Size  2mm	25mm  Mud Legs  32mm	3.0m  Length 2.4m	Ctn Qty



CORNER BEAD	S 90° INSIDE	Code	Nib Size	Mud Legs	Length	Ctn Qty
	Corner Bead 90° Trim-Tex Corner Bead 90° Trim-Tex Trim-Tex Inside Corner Beads create straight and sharp inside corners solving common problems like uneven framing and gapping between sheets.	72-4358 72-4350	2mm 2mm	25mm 25mm	2.4m 3.0m	40 40
SLIMLINE BEA	DS 90° EXTERNAL	Code	Nib Size	Mud Legs	Length	Ctn Qty
	Slimline Corner Bead 90° Trim-Tex Slimline Corner Bead 90° Trim-Tex Trim-Tex Slimline creates lower profile 90° corners achieving a squarer finish for skirting and reducing the amount of compound required.	72-6008 72-6010	1.5mm 1.5mm	32mm 32mm	2.4m 3.0m	50 50
ARCH BEAD JU	JMBO 90° EXTERNAL	Code	Nib Size	Mud Legs	Length	Ctn Qty
	Archway Corner Bead Jumbo 90° Trim-Tex Jumbo Archway Corner Beads create free flowing, curved forms for example archways. Trim-Tex Jumbo Archway is ideal for finishing corners requiring extra strength particularly in high traffic areas.	72-JA10	2.5mm	42mm	3.0m	40
MUD SET™ 90	° EXTERNAL CORNER BEAD	Code	Nib Size	Mud Legs	Length	Ctn Qty
MUD SETIM 90	Mud Set™90° External Corner Bead Trim-Tex Rigid Mud Set™ Corner Bead incorporates the strength of mud lock technology with the sharp, smooth lines created by the Trim-Tex I-Beam. The specially engineered hole pattern allows compound to flow through quickly enabling the bead to self level. The result is the most impact resistant external corner bead in the Trim-Tex range.	Code 72-MSR010	Nib Size  3mm	35mm	3.0m	Ctn Oty 40
000000 0000000 0000000 0000000 0000000 0000	Mud Set <sup>™</sup> 90° External Corner Bead Trim-Tex Rigid Mud Set <sup>™</sup> Corner Bead incorporates the strength of mud lock technology with the sharp, smooth lines created by the Trim-Tex I-Beam. The specially engineered hole pattern allows compound to flow through quickly enabling the bead to self level. The result is the most impact			, , ,		,
000000 0000000 0000000 0000000 0000000 0000	Mud Set™ 90° External Corner Bead Trim-Tex Rigid Mud Set™ Corner Bead incorporates the strength of mud lock technology with the sharp, smooth lines created by the Trim-Tex I-Beam. The specially engineered hole pattern allows compound to flow through quickly enabling the bead to self level. The result is the most impact resistant external corner bead in the Trim-Tex range.	72-MSR010	3mm	35mm	3.0m	40
MUD SET™ 13	Mud Set™ 90° External Corner Bead Trim-Tex Rigid Mud Set™ Corner Bead incorporates the strength of mud lock technology with the sharp, smooth lines created by the Trim-Tex I-Beam. The specially engineered hole pattern allows compound to flow through quickly enabling the bead to self level. The result is the most impact resistant external corner bead in the Trim-Tex range.  So ADJUSTABLE EXTERNAL CORNER BEAD  Mud Set™ 135° Adjustable External Corner Bead Trim-Tex Mud Set™ Splayed External Corner Bead has adjustable mud legs that are suitable for use on corners ranging between 120°-150°. The mud locks bond the bead to the wall giving it superior impact resistance. The I-beam design is more rigid than the traditional splayed bead creating the sharpest, smoothest splayed corner available.	72-MSR010	3mm	35mm	3.0m	40








RIGID CORNE	R BEAD 90° EXTERNAL	Code	Nib Size	Mud Legs	Length	Ctn Qty
	Rigid Corner Bead 90° Trim-Tex Rigid Corner Bead creates the sharpest, smoothest corner in the Trim-Tex range. The new I-beam design is 3 times more rigid than the traditional corner bead creating the perfect impact resistant, 90° corner.	72-R010	2.5mm	35mm	3.0m	40
RIGID ARCH B	EAD 90° EXTERNAL	Code	Nib Size	Mud Legs	Length	Ctn Qty
	Rigid Archway Bead 90° Trim-Tex Rigid Archway Corner Bead creates free flowing, curved forms for example archways. This bead matches perfectly with Rigid Corner Bead for seamless transition between sharp, straight externals to archways.	72-RA10	2.5mm	35mm	3.0m	40
RIGID CORNE	R BEAD 135° EXTERNAL	Code	Nib Size	Mud Legs	Length	Ctn Qty
7,7,7,7,000000 7,7,7,7,0000000 7,7,7,7,0000000000	Rigid Corner Bead 135° Splayed Trim-Tex Rigid Splayed External Corner Bead creates a brighter, more open feel. The I-beam design provides the bead more rigidity than the traditional splayed bead creating the sharpest, smoothest Trim-Tex splayed corner available. The mud legs on the Splayed 135° corner bead adjust from 120°-150° making this profile suitable for off angles.	72-RS10	2.5mm	35mm	3.0m	40









10mm BULLN	OSE CORNER BEADS 90° EXTERNAL	Code	Bullnose	Mud Legs	Length	Ctn Qty
	Bullnose Corner Bead 90° Trim-Tex Bullnose Corner Bead 90° Trim-Tex Bullnose Corner Beads soften sharp edges for a more contemporary look. Trim-Tex Bullnose beads are impact resistant making them perfect for high traffic areas where a softer appearance is desired.	72-35008 72-35010	10mm 10mm	28mm 28mm	2.4m 3.0m	35 35
10mm BULLN	OSE ARCH BEADS 90°	Code	Bullnose	Mud Legs	Length	Ctn Qty
	Bullnose Corner Bead 90° Archway Trim-Tex Bullnose Corner Bead 90° Archway Trim-Tex Bullnose Archway Beads create free flowing, curved forms with a soft, rounded edge. Trim-Tex Bullnose Archway flexes from a 375mm inside radius to a 600mm outside radius.	72-35028 72-35020	10mm 10mm	27mm 27mm	2.4m 3.0m	25 25
10mm BULLN	OSE CORNER BEADS 135° EXTERNAL	Code	Bullnose	Mud Legs	Length	Ctn Qty
		72-35038 72-35030	10mm 10mm	22mm 22mm	2.4m 3.0m	35 35
10mm BULLN	OSE CORNER PIECES			Code	Bullnose	Ctn Qty
	Bullnose 3 Way Outside Corner Piece Trim-Tex Bullnose Splayed 3 Way Outside Corner Piece Trim-Tex Bullnose 3 Way Corner Pieces are used for seamlessly finishing three 10m Beads.  - 72-0923 finishes three 90° external corners into a smooth 90° outside angle.  - 72-0921 finishes two 90° external corners and one 135° creating a soft, off angle		Corner	72-0923 72-0921	10mm 10mm	50 50
10mm BULLN	OSE MITRE MARKER			Code	Bullnose	Ctn Qty
	Bullnose Mitre Marker Trim-Tex The Bullnose Mitre Marker eliminates guess work allowing you to mark, cut and create perfect 90° and 135° inside corners.					40
10mm BULLN	OSE SPLICER			Code	Bullnose	Ctn Qty
	Bullnose Splicer Trim-Tex Join two pieces of 10mm Bullnose Corner Bead using the Bullnose Splicer to the inside of both bead pieces and snap the Splicer into place for the pe		esive	72-0924	10mm	40







19mm BULLN	Bullnose Corner Bead 90° Trim-Tex Bullnose Corner Bead 90° Trim-Tex Bullnose Corner Bead 90° Trim-Tex Bullnose Corner Beads soften sharp edges for a more contemporary look. Trim-Tex Bullnose beads are impact resistant making them suitable for high traffic areas where a softer appearance is desired.	72-7008 72-7010	19mm 19mm	22mm 22mm	2.4m 3.0m	35 35 35
19mm BULLN	OSE ARCH BEAD 90°	Code	Bullnose	Mud Legs	Length	Ctn Qty
	Bullnose Corner Bead Archway Trim-Tex Bullnose Archway Beads create free flowing, curved forms such as archways with a smooth, rounded edge. Trim-Tex Bullnose Archway flexes from a 375mm inside radius to a 500mm outside radius.	72-7110	19mm	22mm	3.0m	35
19mm BULLN	OSE CORNER BEAD 135° EXTERNAL	Code	Bullnose	Mud Legs	Length	Ctn Qty
	Bullnose Corner Bead 135° Trim-Tex	72-7308 72-7310	19mm 19mm	22mm 22mm	2.4m 3.0m	35 35
19mm BULLN	OSE CORNER BEAD 90° INSIDE	Code	Bullnose	Mud Legs	Length	Ctn Qty
	Bullnose Inside Corner Bead Trim-Tex Bullnose Inside Corner Bead is designed to round a 90° inside corner.	72-7210	19mm	22mm	3.0m	35
19mm BULLN	OSE 2 WAY CORNER PIECES			Code	Bullnose	Ctn Qty
	Bullnose 2 Way Corner Piece Trim-Tex Bullnose 135° 2 Way Corner Piece Trim-Tex 19mm Bullnose Corner Pieces are used for seamlessly finishing 2 Bullnose Corner Beads.  - 72-0903 finishes two 90° external corners into a square 90° angle.  - 72-0912 finishes two 90° external corners into a 135° internal angle.			72-0903 72-0912	19mm 19mm	50 50

19mm BULLN	OSE 3 WAY CORNER PIECES	Code	Bullnose	Ctn Qty
	Bullnose 3 Way Outside Corner Piece Trim-Tex Bullnose 135° 3 Way Outside Corner Piece Trim-Tex Bullnose 3 Way Inside Corner Piece Trim-Tex 19mm Bullnose Corner Pieces are used for seamlessly finishing 3 Bullnose Corner Beads.  - 72-0904 finishes three 90° external corners into a smooth 90° outside angle.  - 72-0911 finishes two 90° external corners and one splayed external into a external off angle.  - 72-0905 finishes three 90° internal corners into a smooth 90° outside angle.	72-0904 72-0911 72-0905	19mm 19mm 19mm	50 50 50





19mm BULLN	OSE ADAPTOR	Code	Bullnose	Length	Ctn Qty	
	<b>Bullnose Adaptor Trim-Tex</b> The Bullnose Adaptor joins to and transitions 19mm Bullnose External corners to a square bottom corner assisting with skirting installation.	72-0917	19mm	140mm	50	

19mm BULLN	OSE MITRE MARKER	Code	Bullnose	Ctn Qty	
See J. With Million	<b>Bullnose 19mm Mitre Marker Trim-Tex</b> The Bullnose Mitre Marker eliminates guess work allowing you to mark, cut and create perfect 90° and 135° inside corners.	72-0932	19mm	40	

19mm BULLN	OSE SPLICER	Code	Bullnose	Ctn Qty	
	Bullnose 19mm Splicer Trim-Tex Join two pieces of 19mm Bullnose Corner Bead using the Bullnose Splicer. Apply adhesive to the inside of both bead pieces and snap the Splicer into place for the perfect join.	72-0925	19mm	100	








CHAMFER CO	RNER BEADS 90° EXTERNAL		Code	Chamfer	Mud Legs	Length	Ctn Qty
	Chamfer Bead 90° Trim-Tex Chamfer Bead 90° Trim-Tex Chamfer Bead maintains the appearance of a crisp corner with a modern appeal.	•	72-9610 72-9510	19mm 19mm	26mm 22mm	3.0m 3.0m	30 30

	CH™ BEAD 90°	Code	Chamfer	Mud Legs	Length	Ctn Qty
	Chamfer Corner Bead 90° Archway Trim-Tex Chamfer Archway Bead matches perfectly with Chamfer Corner Bead to continue the modern look on curved, free flowing features.	72-9650	10mm	22mm	3.0m	30
0/0,	0					

CHAMFE	R COF	RNER PIECE	Code	Chamfer	Ctn Qty	
		Chamfer Outside 3 Way Corner Piece Trim-Tex Chamfer 3 Way Corner Piece is used for seamlessly finishing three 32mm Chamfer Corner Beads into a 90° Corner.	72-0940	32mm	50	

CHAMFER MIT	RE MARKER	Code	Chamfer	Ctn Qty	
	Chamfer Mitre Marker Trim-Tex The Chamfer Mitre Marker eliminates guess work allowing you to mark, cut and create perfect 90° and 135° inside corners.	72-0943	32mm	50	







### **EXPANSION BEADS & MAGIC CORNER**

#### HIDEAWAY™ EXPANSION BEAD Code Expansion Mud Legs Length Ctn Qty 72-2710 9mm Hideaway™ Expansion Bead Trim-Tex **25mm** 3.0m **25** *Hideaway™* Bead is a low profile expansion joint that eliminates the exposed "V" common with other products. The soft centre flexes as the structure expands while the $\textit{Tear Away}^{\intercal M}$ strips protect the centre from plaster. **ŽUV**ž

093V™ EXPA	NSION BEAD	Code	Expansion	Mud Legs	Length	Ctn Qty
	O93VTM Expansion Bead Trim-Tex Trim-Tex "V" expansion joint allows for 6mm of structural movement. The "V" shape of the bead is made from rigid PVC with a soft, flexible connection at the bottom. Tear Away TM strips on either side of the "v" protect the centre from damage and plaster.	72-093V	6mm	25mm	3.0m	20

MAGIC CORN	ER™	Code	Expansion	Mud Legs	Length	Ctn Qty
	Magic Corner™ Trim-Tex Magic Corner™ Kit Trim-Tex Magic Corner™ is the perfect solution for off angled walls and raked ceilings. This bead combines rigid PVC on the mud legs with a soft centre allowing it to act as an expansion bead at any angle.	72-4325 72-4325K	9mm 9mm	25mm 25mm	76m 35m	1 1









J BEADS		Code	Short Leg	Long Leg	Length	Ctn Qty
	Casing Bead 10mm Trim-Tex Casing Bead 13mm Trim-Tex Trim-Tex J Beads are nailed on or slipped over 10mm or 13mm plasterboard. J Beads are ideal for use under door and window encasements to finish plasterboard ends.	72-1010 72-1110		22mm 22mm	3.0m 3.0m	50 50

J BEAD SET BI	EAD	Code	Short Leg	Long Leg	Length	Ctn Qty
	Casing Bead 13mm with Set Bead Trim-Tex Mud on J Bead slips over 13mm plasterboard when butting up to other substrates like masonry, glass as well as window and door encasements. The large slots allow for an excellent bond and a smooth finish.	72-1710	13mm	28mm	3.0m	30

J BEAD SUPER	SEAL	Code	Short Leg	Long Leg	Length	Ctn Qty
	Super Seal Casing Bead 13mm Trim-Tex Super Seal J Bead slips over 13mm plasterboard around windows and doors to finish rough edges as well as creating a weather seal. It is also used to adjoin plasterboard to a different substrate allowing for expansion and contraction.	72-1510	10mm	25mm	3.0m	50







L BEAD		Code	Return	Mud Leg	Length	Ctn Qty
	L Bead Trim-Tex L Bead Trim-Tex Trim-Tex L Beads finish 10 and 13mm plasterboard when butting up to a different substrate.	72-3206 72-3210	10mm 13mm	28mm 28mm	3.0m 3.0m	80 80
ARCHWAY L B	FAD	Code	Return	Mud Leg	Length	Ctn Qty
	Archway L Bead Trim-Tex Archway L Bead is the perfect solution for finishing columns and free form plasterboard art for example layering. Trim-Tex Archway L Bead flexes from a 250mm inside radius to a 375mm outside radius.	72-3299	13 & 16mm	28mm	3.0m	50
OVERSIZED L	BEADS	Code	Return	Mud Leg	Length	Ctn Qty
	Oversized L Bead 25mm Trim-Tex Oversized L Bead 32mm Trim-Tex Oversized L Bead 53 & 68mm Trim-Tex Oversize L Beads are designed for finishing window returns and other details, particularly during renovations.	72-3510 72-3610 72-3611	<b>25mm</b> <b>32mm</b> 53 & 68mm	35mm 35mm 35mm	3.0m 3.0m 3.0m	50 50 50
FLAT TEAR AW	VAY™ READ	Code	Return	Mud Lea	l enath	Ctn Otv
FLAT TEAR AW	Flat Tear Away <sup>TM</sup> Bead Trim-Tex Flat Tear Away <sup>TM</sup> Bead is used in areas where the plasterboard has been butted too close to slip the return leg behind the plasterboard.	72-9000	Flat	Mud Leg 28mm	3.0m	Ctn Qty
	Flat Tear Away <sup>TM</sup> Bead Trim-Tex Flat Tear Away <sup>TM</sup> Bead is used in areas where the plasterboard has been butted too close to slip the return leg behind the plasterboard.		Flat	28mm	3.0m	50
	Flat Tear Away <sup>TM</sup> Bead Trim-Tex Flat Tear Away <sup>TM</sup> Bead is used in areas where the plasterboard has been butted too close to slip the return leg behind the plasterboard.	72-9000		<u> </u>		
	Flat Tear Away <sup>TM</sup> Bead Irim-Tex Flat Tear Away <sup>TM</sup> Bead is used in areas where the plasterboard has been butted too close to slip the return leg behind the plasterboard.  L BEADS  Tear Away <sup>TM</sup> L Bead Trim-Tex Tear Away <sup>TM</sup> L Bead Trim-Tex Tear Away <sup>TM</sup> L Bead Trim-Tex Trim-Tex Tear Away <sup>TM</sup> L Bead Trim-Tex as a protective mask when setting and painting. Tear Away <sup>TM</sup> L Beads are used when butting plasterboard to another substrate.	72-9000  Code  72-9002 72-9004	Flat  Return  6mm 10mm	28mm Mud Leg 28mm 28mm	3.0m Length 3.0m 3.0m	Ctn Qty 50 50











SUPER SEAL L	BEAD	Code	Return	Mud Leg	Length	Ctn Qty
	Super Seal <i>Tear Away™</i> L Bead Trim-Tex Super Seal L Bead is the perfect solution for around windows, doors and when joining plasterboard to a different substrate. The flexible gasket compresses on installation creating a permanent seal and providing structural relief along the beads perimeter.	72-9210	10mm	28mm	3.0m	25
SUPER L BEAD		Code	Return	Mud Leg	Length	Ctn Qty
	Super L Bead Trim-Tex Super L Beads are ideal for finishing window and door returns. The return leg measures 80mm and is pre-scored at 66, 53 and 41mm. Apply Finish Trim to the end of the return leg for odd size returns.	72-3710	<b>80mm</b> (66, 53, 41mm)	35mm	3.0m	20
SUPER ARCHW	AY L READ	Code	Return	Mud Leg	Length	Ctn Qty
	Super L Bead Archway Trim-Tex Super L Beads are ideal for finishing arched window and door returns. The return leg measures 80mm and is pre-scored at 66, 53 and 41mm. Apply Finish Trim to the end of the return leg for odd size returns.	72-3810	<b>80mm</b> (66, 53, 41mm)	35mm	3.0m	20
GIANT L BEAD		Code	Return	Mud Leg	Length	Ctn Qty
00000	Giant L Bead Trim-Tex Giant L Beads are ideal for finishing window and door returns. The return leg measures 145mm and is pre-scored at 122, 109 and 95mm. Apply Finish Trim to the end of the return leg for odd size returns.	72-3850	<b>145mm</b> (122, 109, 95mm)	35mm	3.0m	20
GIANT ARCHW	AY L BEAD	Code	Return	Mud Leg	Length	Ctn Qty
- Gerel	Giant L Bead Archway Trim-Tex Giant L Beads are ideal for finishing arched window and door returns. The return leg measures 145mm and is pre-scored at 122, 109 and 95mm. Apply Finish Trim to the end of the return leg for odd size returns.	72-3860	<b>145mm</b> (122, 109, 95mm)	35mm	3.0m	20
BULLNOSE L B	EAD	Code	Return	Mud Leg	Length	Ctn Qty
	Bullnose 10mm L Bead Trim-Tex Bullnose L Bead finishes window, door openings and layered features resulting in a smooth, contemporary effect. This decorative bead is installed after the plasterboard.	72-35040	13mm	25mm	3.0m	35

BULLNOSE AR	CHWAY L BEAD	Code	Return	Mud Leg	Length	Ctn Qty
	Bullnose 10mm Archway L Bead Trim-Tex Bullnose Archway L Bead creates attractive curved layers, arch window and door openings with a soft contemporary effect. Trim-Tex Archway L flexes from a 900mm inside radius to a 900mm outside radius.	72-35060	13mm	25mm	3.0m	35
BULLNOSE J R	OUND	Code	Return	Mud Leg	Length	Ctn Qty
	<b>Bullnose J Round Trim-Tex</b> Bullnose J Round finishes window, door openings and layered features with a soft, round effect. J Round is fitted after the plasterboard is installed.	72-7410	19mm	25mm	3.0m	30
CHAMFER STO	₽™	Code	Return	Mud Leg	Length	Ctn Qty
	Chamfer Stop™ Trim-Tex Chamfer Stop™ finishes window, door openings and layered features with a crisp, modern effect. This decorative bead is fitted after the Plasterboard is installed.	72-9530	13mm	25mm	3.0m	30
BULLNOSE GIA	NT L BEAD	Code	Return	Mud Leg	Length	Ctn Qty
	Bullnose Giant L Bead Trim-Tex Bullnose Giant L Beads are ideal for finishing window and door returns with a soft, contemporary look. The return leg measures 142mm and is pre-scored at 122, 109 and 95mm. Apply finish trim to the end of the return leg for odd size returns.	72-7750	<b>142mm</b> (122, 109, 95mm)	23mm	3.0m	30
BULLNOSE GIA	NT ARCHWAY L BEAD	Code	Return	Mud Leg	Length	Ctn Qty
	Bullnose Giant L Bead Archway Trim-Tex Bullnose Giant L Beads are ideal for finishing arched window and door returns with a soft, contemporary look. The return leg measures 80mm and is pre-scored at 122, 109 and 95mm. Apply finish trim to the end of the return leg for odd size returns.	72-7760	<b>142mm</b> (122, 109, 95mm)	23mm	3.0m	30
FINISH TRIM			Code	Return	Length	Ctn Qty
	Finish Trim for Super & Giant L Bead Trim-Tex Finish Trim slips over the return end of all Super and Giant L Beads to ach sizes not covered by the pre-scoring.	ieve	72-3910	25mm	3.0m	30










# **SHADOW & REVEAL BEADS**

SHADOW BEA	D TRIM-TEX	Code	Shadow	Mud Legs	Length	Ctn Qty
000000000000000000000000000000000000000	Shadow Bead Trim-Tex Trim-Tex Shadow Bead is used to create an attractive reveal when butting up to door jambs, skirting and other architectural features.	72-5510	13x13mm	25mm	3.0m	50

<b>SHADOW BEA</b>	D FLEXIBLE	Code	Shadow	Mud Legs	Length	Ctn Qty	
	Shadow Bead Flexible Trim-Tex Flexible Shadow Bead flexes to a radius of 450mm to create reveal effects around columns or curved walls. The 8mm <i>Tear Away™</i> strip guides your taping knife while protecting the reveal from plaster and paint.  ■ T	72-5330	10x10mm	32mm	3.0m	25	

SHADOW BEA	DS TEAR AWAY™	Code	Shadow	Mud Legs	Length	Ctn Qty	
		72-5390T 72-5380T		25mm 25mm	3.0m 3.0m	25 25	

REVEAL BEAD	5	Code	Shadow	Mud Legs	Length	Ctn Qty
	Reveal Bead Trim-Tex Reveal Bead Trim-Tex Reveal Bead Trim-Tex Trim-Tex reveal beads create attractive and eye catching recess in the plasterboard finish. These Reveal Beads can be used with RL6 Fibre Optic Cable.		6 x 6mm 13 x 13mm 13 x 25mm		3.0m 3.0m 3.0m	30 20 15



### **SPECIALITY BEADS**

ACCESS DOOR	BEADS	Code	Flange	Return	Length	Ctn Qty
	Access Door Bead Trim-Tex Mud on Access Door Bead Trim-Tex Access Door Beads are designed for finishing plasterboard around manhole frames and access holes. The flange provides a platform for the plasterboard door to sit on.	72-8010 72-8020	16mm 16mm	38mm 36mm	3.0m 3.0m	20 12
DRIVE IN BEA	D	Code	Leg Size	Leg Size	Length	Ctn Qty
	<b>Drive In Bead Trim-Tex</b> Drive In Bead is used for finishing partition walls.	72-8250	25mm	32mm	3.0m	30
FAST CAP		Code	Cap Size	Mud Legs	Length	Ctn Qty
Para Mili	Fast Cap 89mm Trim-Tex Fast Cap is designed to finish doorways, wall ends and closets in one easy application - eliminating the need for corner beads. 89mm Fast Cap is made for a 64mm stud and 2 sheets of 13mm plasterboard.	72-4883	89mm	35mm	3.0m	10
FLEX GRID AN	IGLE™	Code	Leg Size	Leg Size	Length	Ctn Qty
FLEX GRID AN	Flex Grid Angle™22mm Trim-Tex Flex Grid Angle™ is used to finish suspended ceilings terminating at curved walls or surfaces and also suits finishing round columns. Flex Grid Angle™ curves to a minimum inside radius 1500mm and a 140mm minimum outside radius.	72-8158	Leg Size 28mm	Leg Size	Length 2.4m	Ctn Oty 63
FLEX GRID AN	Flex Grid Angle <sup>™</sup> 22mm Trim-Tex Flex Grid Angle <sup>™</sup> is used to finish suspended ceilings terminating at curved walls or surfaces and also suits finishing round columns. Flex Grid Angle <sup>™</sup> curves to a minimum inside radius 1500mm and a 140mm					
	Flex Grid Angle <sup>™</sup> 22mm Trim-Tex Flex Grid Angle <sup>™</sup> is used to finish suspended ceilings terminating at curved walls or surfaces and also suits finishing round columns. Flex Grid Angle <sup>™</sup> curves to a minimum inside radius 1500mm and a 140mm	72-8158	28mm	22mm	2.4m	63
BULL RAIL	Flex Grid Angle™ 22mm Trim-Tex Flex Grid Angle™ is used to finish suspended ceilings terminating at curved walls or surfaces and also suits finishing round columns. Flex Grid Angle™ curves to a minimum inside radius 1500mm and a 140mm minimum outside radius.  Bull-Rail Trim-Tex Bull-Rail is a decorative trim applied to the surface of the plasterboard. This bead can be used both horizontally and vertically or at any angle to	72-8158	28mm	22mm	2.4m	G3 Ctn Qty





### **SPECIALITY BEADS**

19mm BULLN	OSE ARCHWAY KERFED BEAD	Code	Leg Size	Mud Leg	Length	Ctn Qty
	Bullnose 19mm Kerfed Bead Archway Trim-Tex Bullnose Kerfed Bead is used to finish free flowing or arched preformed door and window jambs. The 8mm leg is inserted into the exposed channel around the window or door resulting in a smooth contemporary appearance.	72-7180	8mm	22mm	3.0m	35

FIBRE OPTIC R	REVEAL BEADS	Code	Reveal	Leg Size	Length	Ctn Qty	
	Fibre Optic Reveal Bead Trim-Tex Fibre Optic Reveal Bead creates an attractive reveal in the plasterboard finish. Special ridges inside the reveal accommodate RL8 fibre optic cable without detracting from the overall appearance.	72-5130	10mm	25mm	3.0m	20	

FIBRE OPTIC R	REVEAL BEADS CORNER PIECE	Code	Reveal	Leg Size	Length	Ctn Qty	
	Fibre Optic Corner Piece Trim-Tex Fibre Optic Corner Pieces allow fibre optic cabling to achieve gradual 45° turns. Score marks on the back side of the corner pieces can be cut and stacked to complete a 90° or 180° turn.	72-0938	10mm	25mm	3.0m	25	






### **INSTALLATION ADVICE**












Trim-Tex Corner Beads are installed Splay cut on leg of divergent staples quickly and easily with 847 Spray staple to guide each leg splay when in opposite direction for Adhesive and Staples. The result is a greater purchase to the dent resistant, square, 90° corner. inserted into plasterboard lining plasterboard.



Trim-Tex Splayed External Beads adjust to external angles between 120°-140° providing a more open feel.




Adjustable Internal Beads produce sharp corners on inside corners between 70°-120°. Adjustable Internal Beads are not suitable for areas where structural movement is a concern.




Produce free flowing curves with Trim-Tex Archway Beads. Install with Spray Adhesive and staples. Staple every tab for ultimate bond.




Reduce skirting deflection with Slimline Corner Bead. Slimline creates a lower profile 90° angle while reducing the amount of compound required.




Rigid Corner Bead creates the sharpest corner in the Trim-Tex range and combines perfectly with Rigid Archway and Rigid Splayed outside Bead to continue the look.




Arch Plus transitions from a 90° Corner to a 90° Arch Bead quickly and easily. Simply snip, bend and remove the Tear Away strip.



10mm Bullnose Beads soften sharp corners for a more contemporary look. Trim-Tex Beads are installed with 847 Spray Adhesive and 10mm divergent staples.




19mm Bullnose Beads give plasterboard corners a smoother appearance and are perfect for high traffic areas where a higher degree of impact resistance is desired.




32mm Chamfer Bead maintains the appearance of a crisp corner with twin profile lines resulting in a softer look.




Installing 19mm Chamfer Bead results in a narrower more subtle appearance than the traditional 32mm Chamfer while maintaining the modern twin profile lines




Hideaway Expansion Joint is perfect for areas where structural movement is a concern. The soft centre provides up to 9mm of expansion.




Trim-Tex "V" expansion joint allows for up to 6mm of structural movement. The Tear Away strips protect the exposed "V" from plaster and removes after painting for a clean finish.



Magic Corner is the perfect solution for off angles and raked ceilings. The soft centre of the Magic Corner allows for up to 9mm of structural movement.



Super and Giant L Beads are used to finish window returns and door iams. Bullnose Super and Giant L Beads are available so the soft Bullnose look can be continued throughout an entire building.



Apply a continuous bead of Trim-Tex caulk for every 50mm of solid return leg. 72-710 is perfect for installing Super and Giant L Beads as well as Trim-Tex Fast Cap.

For full installation instructions please check the product data sheets available from the website www.wallboardtools.com.au





#### TRIM-TEX DATA SHEETS

Trim-Tex Product Data Sheets detail the correct installation method for each of the Trim-Tex Beads. The Data Sheets also outline recommended setback on easy to read diagrams. Download the full set of Trim-Tex data sheets from the Wallboard Tools website under "Tech" or the PlasterArt website under resources.

#### **CAD DRAWINGS**

Detailed CAD drawings of all Trim-Tex Beads are now available. Download the CAD files from the Wallboard Tools website under "Tech" or the PlasterArt website under resources.





PlanterArt & in



### **PLASTERART**

PlasterArt.com.au is the new home for creativity in plastering. PlasterArt has been designed to showcase Trim-Tex beads and accessories as well as some of the features and effects that can be achieved when working the extensive range. The Plaster Art gallery contains a collection of images that inspire creativity and illustrate just how versatile and practical

PlasterArt.com.au is continually evolving to include even more helpful tools including videos, CAD files and Product Data

Subscribe to the feed today to be kept up-to-date with the new products, photos, projects and much more.

#### **FACEBOOK**

Find PlasterArt on Facebook by typing www.facebook.com/ plasterart into the browser address bar. If you are a member of Facebook hit the "Like" button near the page title to stay up-to-date with all the news for PlasterArt and to be able to participate in Facebook only competitions and giveaways.

#### WARRANTY

Trim-Tex, Inc. warrants that the products manufactured by Trim-Tex to be free from manufacturing defects when installed in accordance with the guidelines and instructions, where indicated and in accordance to the customary and ordinary standards of the industry.

Trim-Tex, Inc.'s sole responsibility shall be for the replacement of the product only, when it has been determined by Trim-Tex, Inc. that the product was defective as a result of manufacturing and not as a result of improper installation or handling. Trim-Tex assumes no liability or responsibility for any direct, indirect of consequential damages that may arise from the use of any product manufactured by Trim-Tex. Trim-Tex assumes no responsibility for any defective product not manufactured by Trim-Tex in which a product of Trim-Tex is attached to or made a part of said product.

Neither Trim-Tex, it's officers, agents or employees have the authority to make any other warranty either orally or in writing.

#### **INSTALLATION**

#### General

- 1) Ensure the substrate is true and plumb
- 2) Remove excess overhang of plasterboard prior to installation of Trim-Tex Bead
- Spray a liberal coat of Trim-Tex 847 Spray Adhesive to the inside of the Trim-Tex bead as well as the surface of the plasterboard where the Trim-Tex bead is to be installed.
- 4) Apply firm even pressure to the mud legs using the Trim-Tex Cleaning Tools to ensure a solid bond.
- 5) Staple through the mud leg(s) of the Trim-Tex bead at 200mm centres maximum using 10mm divergent staples. When installing an Archway Bead, staple every tab.
- 6) Re-apply pressure to the mud leg of the Trim-Tex Bead.
- 7) Set the Trim-Tex bead with an approved compound (refer to standard ASTM-C475-02 or the Plasterboard Manufacturers recommendations.

#### Super & Giant L Bead Installation

- Pre cut all parts to fit the return. Leave 1.5mm clearance on ends. To use pre-scored marks, back bend at the desired score mark several times and then tear off the strip. Slip on the finish trim (if required). Use Mitre Marker for mitering 90° and 135° corners on Bullnose Super and Giant L Beads.
- 2) Apply 2 or 3 beads of Trim-Tex Siliconized Acrylic Caulk onto return for full coverage. Make sure the adhesive covers Finish Trim (if used).
- 3) Align the "L" Bead onto the return and press firmly into place.
- 4) Staple the mud leg to the wall at 200mm centres maximum using 10mm divergent stables. When installing an Archway Bead staple every tab.
- 5) Always extend Archway "L's" beyond the arch approximately 400mm onto the straight area where there is sufficient backing material to allow for the butt joint to be properly adhered and to provide a flat surface for floating the butt joint.
- 6) Before paint, float and tape all straight butt joints, caulk corner joints and caulk along the window frame.

For installation information specific to a particular Bead please download the Product Data Sheet from the Wallboard Tools Website (www.wallboardtools.com.au)

#### **Mud Set Beads**

- 1) Apply Base Compound to corner or alternatively directly to the bead using a Hopper.
- 2) Apply Mud Set Bead to the wall.
- 3) Using the Trim-Tex Pro Series Roller or taping knife, press the bead firmly onto the wall allowing the compound to penetrate the micro perforations. The Mud Set Bead will self level on the corner.
- 4) Apply the first coat of compound to the Mud Set Bead.

#### **TRADEMARKS**

Trim-Tex, Drywall Art, Pullaway, Tear Away, Mud Set Beads, Chamfer Bead, Chamfer Stop, Chamfer 3 Way, Chamfer Marker, Chamfer Arch, Magic Corner, Hideaway, 093V, Fast Cap, Mud On, Flex Grid Angle, Miter Marker, Arch Plus, 847 and 848 trademarks of Trim-Tex. Backerboard and Buttboard are trademarks of BBI Inc. Wallboard Tools is a trademark of Wallboard Tool Co. Pty Ltd.

Distrubutors:



30 Leda Drive, West Burleigh QLD 4219 Australia PO BOX 2508 Burleigh MDC QLD 4220

11 Kenoma Place, Arndell Park NSW 2148 Australia

28 Ovata Drive, Tullamarine VIC 3033 Australia

Ph: 1300 653 177 | Fx: 1300 657 442

International Ph: 61 7 5535 7655 | International Fx: 61 7 5535 7741

Sales Email: sales@wallboardtools.com.au

www.wallboardtools.com.au www.plasterart.com.au



